



EXPANDED FUNGAL REPORT TM


Prepared Exclusively For

The Inspection Co.
806 Green Valley Road
STE 200
Greensboro, NC 27408-7076
Phone:336-989-8185

Report Date: 7/10/2023
Project: 1403 Ridgecrest Ave. Burlington NC 27215
EMSL Order: 022304578

AIHA LAP, LLC.

AIHA LAP, LLC EMLAP #102564



This report has been prepared by EMSL Analytical, Inc. at the request of and for the exclusive use of the client named in this report. Completely read the important terms, conditions, and limitations that apply to this report.

© 2006, EMSL Analytical, Inc., All rights reserved. No part of this report may be reproduced or otherwise distributed or used without the express written consent of EMSL.



EMSL Analytical, Inc.

706 Galin Street Kernersville, NC 27284
Phone: (336) 992-1025 Fax: (336) 992-4175

Web: <http://www.EMSL.com> Email: kernersvillelab@emsl.com

Attn: Dean Young
The Inspection Co.
806 Green Valley Road
STE 200
Greensboro, NC 27408-7076

EMSL Order: 022304578
Customer ID: HTEK42
Collected: 7/07/2023
Received: 7/07/2023
Analyzed: 7/10/2023

Proj: 1403 Ridgecrest Ave. Burlington NC 27215

1. Description of Analysis

Analytical Laboratory

EMSL Analytical, Inc. (EMSL) is a nationwide, full service, analytical testing laboratory network providing Asbestos, Mold, Indoor Air Quality, Microbiological, Environmental, Chemical, Forensic, Materials, Industrial Hygiene and Mechanical Testing services since 1981. Ranked as the premier independently owned environmental testing laboratory in the nation, EMSL puts analytical quality as its top priority. This quality is recognized by many well-respected federal, state and private accrediting agencies, and assured by our high quality personnel, including many Ph.D. microbiologists and mycologists.

EMSL is an independent laboratory that performed the analysis of these samples. EMSL did not conduct the sampling or site investigation for this report. The samples referenced herein were analyzed under strict quality control procedures using state-of-the-art microbiological methods. The analytical methods used and the data presented are scientifically and legally defensible.

The laboratory data is provided in compliance with ISO-IEC 17025 guidelines for the particular test(s) requested, including any associated limitations for the methods employed. These data are intended for use by professionals having knowledge of the testing methods necessary to interpret them accurately.

2. Analytical Results

See attached data reports and charts.



EMSL Analytical, Inc.

706 Galin Street Kernersville, NC 27284
Phone: (336) 992-1025 Fax: (336) 992-4175


Web: <http://www.EMSL.com> Email: kernersvillelab@emsl.com




Attn: Dean Young
The Inspection Co.
806 Green Valley Road
STE 200
Greensboro, NC 27408-7076

EMSL Order: 022304578
Customer ID: HTEK42
Collected: 7/07/2023
Received: 7/07/2023
Analyzed: 7/10/2023

Proj: 1403 Ridgecrest Ave. Burlington NC 27215

Surface Contamination ASSESSMENT Report TM Swab Samples Based on Direct Microscopic Analysis MICRO-SOP-200

Sample Information	Sample Location	Surface Contamination Rating (Referenced in IICRC S520)	Recommended Remedial Action (Referenced in IICRC S520)
Lab Sample #: 022304578-0001 Client Sample ID:	Swab Interior	Condition 3: Actual fungal growth	 Remediate to a Condition 1 status

Definitions (from IICRC S520 Standard)	
	Condition 1 (normal fungal ecology): an indoor environment that may have settled spores, fragments, or traces of actual growth.
	Condition 2 (settled spores): an indoor environment which is primarily contaminated with settled spores that were dispersed directly or indirectly from a Condition 3 area, and which may have traces of actual growth.
	Condition 3 (actual growth): an indoor environment contaminated with the presence of actual mold growth and associated spores. Actual growth includes growth that is active or dormant, visible or hidden.

Data provided in this report are intended to facilitate the assessment process performed by an Indoor Environmental Professional (IEP). The IEP is responsible for final data interpretation and remediation conclusions based on their assessment which may include information on the building history, an inspection, sampling, and laboratory data. Post-remediation verification testing recommended after any remediation.

Kristie Elliott, Microbiology Lab Manager
or Other Approved Signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.

Samples analyzed by EMSL Analytical, Inc. Kernersville, NC AIHA LAP, LLC-EMLAP Accredited #102564

Initial report from: 07/10/2023 09:44:13

This report has been prepared by EMSL Analytical, Inc. at the request of and for the exclusive use of the client named in this report. Completely read the important terms, conditions, and limitations that apply to this report.

© 2006, EMSL Analytical, Inc., All rights reserved. No part of this report may be reproduced or otherwise distributed or used without the express written consent of EMSL.



EMSL Analytical, Inc.

706 Galrin Street Kernersville, NC 27284
Phone: (336) 992-1025 Fax: (336) 992-4175

Web: <http://www.EMSL.com> Email: kernersvillelab@emsl.com

Attn: Dean Young
The Inspection Co.
806 Green Valley Road
STE 200
Greensboro, NC 27408-7076

EMSL Order: 022304578
Customer ID: HTEK42
Collected: 7/07/2023
Received: 7/07/2023
Analyzed: 7/10/2023

Proj: 1403 Ridgecrest Ave. Burlington NC 27215

Test Report: Microscopic Examination of Fungal Spores, Fungal Structures, Hyphae, and Other Particulates from Swab Samples (EMSL Method MICRO-SOP-200)

Lab Sample Number:	022304578-0001				
Client Sample ID:					
Sample Location:	Swab Interior				
Spore Types	Category				
Alternaria (Ulocladium)	*Low*				
Ascospores	Rare				
Aspergillus/Penicillium	-				
Basidiospores	-				
Bipolaris++	Rare				
Chaetomium++	-				
Cladosporium	*Low*				
Curvularia	Rare				
Epicoccum	Rare				
Fusarium++	-				
Ganoderma	-				
Myxomycetes++	-				
Pithomyces++	-				
Rust	Rare				
Scopulariopsis/Microascus	-				
Stachybotrys/Memnoniella	-				
Unidentifiable Spores	-				
Zygomycetes	-				
Mucor	*Low*				
Nigrospora	Rare				
Hyphal Fragment	-				
Insect Fragment	-				
Pollen	-				
Fibrous Particulate	-				

Category: Count/per area analyzed
 Rare: 1 to 10 Low: 11 to 100 Medium: 101 to 1000 High: >1000
 High background particulate: A high level of background particulate can obscure fungal matter and lead to underestimation or failure to detect
 ++ = Includes other spores with similar morphology; see EMSL's fungal glossary for each specific category.
 * = Sample contains fruiting structures and/or hyphae associated with the spores.
 - = Not detected.


 Kristie Elliott, Microbiology Lab Manager
 or Other Approved Signatory

No discernable field blank was submitted with this group of samples.

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.
 Samples analyzed by EMSL Analytical, Inc. Kernersville, NC AIHA LAP, LLC-EMLAP Accredited #102564

Initial report from: 07/10/2023 09:44:13

This report has been prepared by EMSL Analytical, Inc. at the request of and for the exclusive use of the client named in this report. Completely read the important terms, conditions, and limitations that apply to this report.

© 2006, EMSL Analytical, Inc., All rights reserved. No part of this report may be reproduced or otherwise distributed or used without the express written consent of EMSL.



EMSL Analytical, Inc.

706 Galin Street Kernersville, NC 27284
Phone: (336) 992-1025 Fax: (336) 992-4175

Web: <http://www.EMSL.com>

Email: kernersvillelab@emsl.com

Attn: Dean Young
The Inspection Co.
806 Green Valley Road
STE 200
Greensboro, NC 27408-7076

EMSL Order: 022304578
Customer ID: HTEK42
Collected: 7/07/2023
Received: 7/07/2023
Analyzed: 7/10/2023

Proj: 1403 Ridgecrest Ave. Burlington NC 27215

3. Understanding the Results

EMSL Analytical, Inc. is an independent laboratory, providing unbiased and scientifically valid results. These data represent only a portion of an overall IAQ investigation. Visual information and environmental conditions measured during the site assessment (humidity, moisture readings, etc.) are crucial to any final interpretation of the results. Many factors impact the final results; therefore, result interpretation should only be conducted by qualified individuals. The American Conference of Governmental Industrial Hygienists (ACGIH) has published a good reference book covering sampling and data interpretation. It is entitled, Bioaerosols: Assessment and Control, 1999.

Fungal spores are found everywhere. Whether or not symptoms develop in people exposed to fungi depends on the nature of the fungal material (e.g., allergenic, toxic, or infectious), the exposure level, and the susceptibility of exposed persons. Susceptibility varies with the genetic predisposition (e.g., allergic reactions do not always occur in all individuals), age, pre-existing medical conditions (e.g., diabetes, cancer, or chronic lung conditions), use of immunosuppressive drugs, and concurrent exposures. These reasons make it difficult to identify dose/response relationships that are required to establish “safe” or “unsafe” levels (i.e., permissible exposure limits).

It is generally accepted in the industry that indoor fungal growth is undesirable and inappropriate, necessitating removal or other appropriate remedial actions. The New York City guidelines and EPA guidelines for mold remediation in schools and commercial buildings define the conditions warranting mold remediation. Always remember that water is the key. Preventing water damage or water condensation will prevent mold growth.

This report is not intended to provide medical advice or advice concerning the relative safety of an occupied space. Always consult an occupational or environmental health physician who has experience addressing indoor air contaminants if you have any questions.



EMSL Analytical, Inc.

706 Galin Street Kernersville, NC 27284
Phone: (336) 992-1025 Fax: (336) 992-4175

Web: <http://www.EMSL.com> Email: kernersvillelab@emsl.com

Attn: Dean Young
The Inspection Co.
806 Green Valley Road
STE 200
Greensboro, NC 27408-7076

EMSL Order: 022304578
Customer ID: HTEK42
Collected: 7/07/2023
Received: 7/07/2023
Analyzed: 7/10/2023

Proj: 1403 Ridgecrest Ave. Burlington NC 27215

4. Glossary of Fungi

ALTERNARIA(ULOCLADIUM)	
Natural Habitat	Common saprobe and pathogen of plants. Typically found on plant tissue, decaying wood, and foods. Soil . Air outdoors.
Suitable Substrates in the Indoor Environment	Indoors near condensation (window frames, showers), House dust (in carpets, and air). Also colonizes building supplies, computer disks, cosmetics, leather, optical instruments, paper, sewage, stone monuments, textiles, wood pulp, and jet fuel
Water Activity	Aw =0.85-0.88 (water damage indicator)
Mode of Dissemination	Wind
Allergic Potential	Type I allergies (hay fever, asthma), Type III (hypersensitivity pneumonitis)
Potential or Opportunistic Pathogens	Phaeohyphomycosis {causing cystic granulomas in the skin and subcutaneous tissue}. In immunocompetent patients, Alternaria colonizes the paranasal sinuses, leading to chronic hypertrophic sinusitis
Industrial Uses	Biocontrol of weed plants ·Biocontrol fungal plant pathogens.
Potential Toxins Produced	Alternariol (AOH) . Alternariol monomethylether (AME). Tenuazonic acid (TeA). Altenuene (ALT). Altertoxins (ATX)
Other Comments	Many species of Ulocladium have been renamed as Alternaria. Alternaria spores are one of the most common and potent indoor and outdoor airborne allergens. Additionally, Alternaria sensitization has been determined to be one of the most important factors in the onset of childhood asthma. Synergy with Cladosporium or Ulocladium may increase the severity of symptoms
References	Alternaria redefined. J. Woudenberg et al., Studies in Mycology. Volume 75, June 2013, Pages 171-212

ASCOSPORES	
Natural Habitat	Everywhere in nature.
Suitable Substrates in the Indoor Environment	Depends on genus and species.
Water Activity	Depends on genus and species.
Mode of Dissemination	Forcible ejection or passive release and dissemination by wind or insects.
Allergic Potential	Depends on genus and species.
Potential or Opportunistic Pathogens	Depends on genus and species.
Industrial Uses	Depends on genus and species.
Potential Toxins Produced	Depends on genus and species.
Other Comments	Ascospores are the result of sexual reproduction and produced in a saclike structure called an ascus. All ascospores belong to members of the Phylum Ascomycota, which encompasses a plethora of genera worldwide.

This report has been prepared by EMSL Analytical, Inc. at the request of and for the exclusive use of the client named in this report. Completely read the important terms, conditions, and limitations that apply to this report.

© 2006,EMSL Analytical, Inc., All rights reserved. No part of this report may be reproduced or otherwise distributed or used without the express written consent of EMSL.



EMSL Analytical, Inc.

706 Galin Street Kernersville, NC 27284
Phone: (336) 992-1025 Fax: (336) 992-4175

Web: <http://www.EMSL.com> Email: kernersvillelab@emsl.com

Attn: Dean Young
The Inspection Co.
806 Green Valley Road
STE 200
Greensboro, NC 27408-7076

EMSL Order: 022304578
Customer ID: HTEK42
Collected: 7/07/2023
Received: 7/07/2023
Analyzed: 7/10/2023

Proj: 1403 Ridgecrest Ave. Burlington NC 27215

BIPOLARIS++

Natural Habitat	Plant saprophyte.Plant pathogen of many plants, causing leaf rot, crown rot, and root rot on warm season turf grasses
Suitable Substrates in the Indoor Environment	House plants, Indoor building materials
Free moisture required for mold growth	Unknown
Mode of Dissemination	Wind
Allergic Potential	Hay fever, asthma. Allergic and chronic invasive sinusitis
Potential or Opportunistic Pathogens	Invasive sinusitis, disseminated mycoses, peritonitis, keratitis, phaeohyphomycosis
Potential Toxins	Can potentially produce sterigmatocystin.
Other Comments	Includes Bipolaris, Drechslera, Exserohilum.

CLADOSPORIUM

Natural Habitat	Dead plant matter. Straw. Soil. Woody plants
Suitable Substrates in the Indoor Environment	Fiberglass duct liner. Paint. Textiles. Found in high concentration in water-damaged building materials.
Water Activity	Aw 0.84-0.88
Mode of Dissemination	Air
Allergic Potential	Type I (asthma and hay fever).
Potential or Opportunistic Pathogens	Edema. keratitis. onychomycosis. pulmonary infections. Sinusitis.
Industrial Uses	Produces 10 antigens.
Potential Toxins Produced	Cladosporin and Emodin.

CURVULARIA

Natural Habitat	A worldwide saprophytic fungi, being isolated from dead plant material and soil.
Suitable Substrates in the Indoor Environment	Paper, wood products
Free moisture required for mold growth	Unknown
Mode of Dissemination	Wind
Allergic Potential	Hay fever, asthma, allergic fungal sinusitis
Potential or Opportunistic Pathogens	In immunocompromised patients can cause cerebral abscess, endocarditis, mycetoma, ocular keratitis, onychomycosis, and pneumonia.

EPICOCCUM

Natural Habitat	A worldwide saprophytic fungi, being isolated from dead plant material and soil.
Suitable Substrates in the Indoor Environment	Paper, textiles
Water Activity	0.86-0.90
Mode of Dissemination	Wind
Allergic Potential	Hay fever, asthma
Potential or Opportunistic Pathogens	Unknown

This report has been prepared by EMSL Analytical, Inc. at the request of and for the exclusive use of the client named in this report. Completely read the important terms, conditions, and limitations that apply to this report.

© 2006,EMSL Analytical, Inc., All rights reserved. No part of this report may be reproduced or otherwise distributed or used without the express written consent of EMSL.



EMSL Analytical, Inc.

706 Galin Street Kernersville, NC 27284
Phone: (336) 992-1025 Fax: (336) 992-4175

Web: <http://www.EMSL.com> Email: kernersvillelab@emsl.com

Attn: Dean Young
The Inspection Co.
806 Green Valley Road
STE 200
Greensboro, NC 27408-7076

EMSL Order: 022304578
Customer ID: HTEK42
Collected: 7/07/2023
Received: 7/07/2023
Analyzed: 7/10/2023

Proj: 1403 Ridgecrest Ave. Burlington NC 27215

NIGROSPORA	
Natural Habitat	Common on live or dead grass, seeds & soil.
Suitable Substrates in the Indoor Environment	Unknown
Water Activity	Unknown
Mode of Dissemination	Forcibly projected.
Allergic Potential	Type 1 allergies (hay fever, asthma)
Potential or Opportunistic Pathogens	Keratitis & skin lesions

RUSTS	
Natural Habitat	Parasitic on cultivated and many types of plants
Suitable Substrates in the Indoor Environment	Unknown- rust fungi require a living plant host for growth
Free moisture required for mold growth	Unknown
Mode of Dissemination	Wind, Forcible Ejection
Allergic Potential	Type I. (hay fever, asthma)
Potential or Opportunistic Pathogens	Unknown

This report has been prepared by EMSL Analytical, Inc. at the request of and for the exclusive use of the client named in this report. Completely read the important terms, conditions, and limitations that apply to this report.

© 2006, EMSL Analytical, Inc., All rights reserved. No part of this report may be reproduced or otherwise distributed or used without the express written consent of EMSL.



EMSL Analytical, Inc.

706 Galin Street Kernersville, NC 27284
Phone: (336) 992-1025 Fax: (336) 992-4175

Web: <http://www.EMSL.com>

Email: kernersvillelab@emsl.com

Attn: Dean Young
The Inspection Co.
806 Green Valley Road
STE 200
Greensboro, NC 27408-7076

EMSL Order: 022304578
Customer ID: HTEK42
Collected: 7/07/2023
Received: 7/07/2023
Analyzed: 7/10/2023

Proj: 1403 Ridgecrest Ave. Burlington NC 27215

5. References and Informational Links

Books

- Bioaerosols: Assessment and Control. Janet Macher, Ed., American Conference of Governmental Industrial Hygienists, Cincinnati, OH 1999.
- Exposure Guidelines for Residential Indoor Air Quality. Environmental Health Directorate, Health Protection Branch, Health Canada, Ottawa, Ontario, 1989.
- Fungal Contamination in Public Buildings: Health Effects and Investigation Methods. Health Canada, Ottawa, Ontario, 2004.
- IICRC: S500 Standard and Reference Guide for Professional Water Damage Restoration. 3rd Edition, Institute of Inspection, Cleaning, and Restoration Certification, Vancouver, WA, 2006
- IICRC: S520 Standard and Reference Guide for Professional Mold Remediation. 1st Edition, Institute of Inspection, Cleaning, and Restoration Certification, Vancouver, WA, 2004
- Field Guide for the Determination of Biological Contaminants in Environmental Samples. 2nd Edition, American Industrial Hygiene Association, 2005.

Consumer Links

Read the full text of AIHA's "The Facts About Mold" consumer brochure.

<http://www.aiha.org/get-involved/VolunteerGroups/Documents/BiosafetyVG-FactsAbout%20MoldDecember2011.pdf>

The Occupational Safety and Health Administration (OSHA)

<http://www.osha.gov/SLTC/molds/index.html>

CDC Mold Facts

<http://www.cdc.gov/mold/faqs.htm>

CDC Stachybotrys - Questions and answers on Stachybotrys chartarum and other molds

<http://www.cdc.gov/mold/stachy.htm>

IOM, NAS: Clearing the Air: Asthma and Indoor Air Exposures

<https://www.epa.gov/indoor-air-quality-iaq/should-you-have-air-ducts-your-home-cleaned>



EMSL Analytical, Inc.

706 Gralin Street Kernersville, NC 27284
Phone: (336) 992-1025 Fax: (336) 992-4175

Web: <http://www.EMSL.com>

Email: kernersvillelab@emsl.com

Attn: Dean Young
The Inspection Co.
806 Green Valley Road
STE 200
Greensboro, NC 27408-7076

EMSL Order: 022304578
Customer ID: HTEK42
Collected: 7/07/2023
Received: 7/07/2023
Analyzed: 7/10/2023

Proj: 1403 Ridgecrest Ave. Burlington NC 27215

National Library of Medicine-Mold website
<http://www.nlm.nih.gov/medlineplus/molds.html>

California Department of Health Services (CADOHS)
<https://www.cdph.ca.gov/Programs/CCDPHP/DEODC/EHLB/IAQ/Pages/Mold.aspx>

Minnesota Department of Health
<http://www.health.state.mn.us/divs/eh/indoorair/mold/index.html>

New York City Department of Health and Mental Hygiene
<https://www1.nyc.gov/site/doh/health/health-topics/mold.page>

H.R.: The United States Toxic Mold Safety and Protection Act

EPA

"Should You Have the Air Ducts in Your Home Cleaned?"
<http://www.epa.gov/iaq/pubs/airduct.html>

General information about molds and actions that can be taken to clean up or prevent a mold problem.
<http://www.epa.gov/asthma/molds.html>

"A Brief Guide to Mold, Moisture, and Your Home" - Includes basic information on mold, cleanup guidelines, and moisture and mold prevention
<http://www.epa.gov/mold/moldguide.html>

"Mold Remediation in Schools and Commercial Buildings" - Information on remediation in schools and commercial property, references for potential mold and moisture remediators.
<https://www.epa.gov/mold/mold-remediation-schools-and-commercial-buildings-guide>

FEMA

"Homes That Were Flooded May Harbor Mold Problems" - Information and tips for cleaning mold.
<http://www.fema.gov/news-release/homes-were-flooded-may-harbor-mold-problems>

"Dealing With Mold & Mildew in Your Flood Damaged Home."
http://www.fema.gov/pdf/rebuild/recover/fema_mold_brochure_english.pdf



EMSL Analytical, Inc.

706 Galrin Street Kernersville, NC 27284
Phone: (336) 992-1025 Fax: (336) 992-4175

Web: <http://www.EMSL.com> Email: kernersvillelab@emsl.com

Attn: Dean Young
The Inspection Co.
806 Green Valley Road
STE 200
Greensboro, NC 27408-7076

EMSL Order: 022304578
Customer ID: HTEK42
Collected: 7/07/2023
Received: 7/07/2023
Analyzed: 7/10/2023

Proj: 1403 Ridgecrest Ave. Burlington NC 27215

6. Important Terms, Conditions, and Limitations

A. Sample Retention

Samples analyzed by EMSL will be retained for 60 days after analysis date Storage beyond this period is available for a fee with written request prior to the initial 30 day period. Samples containing hazardous/toxic substances which require special handling will be returned to the client immediately. EMSL reserves the right to charge a sample disposal fee or return samples to the client.

B. Change Orders and Cancellation

All changes in the scope of work or turnaround time requested by the client after sample acceptance must be made in writing and confirmed in writing by EMSL. If requested changes result in a change in cost the client must accept payment responsibility. In the event work is cancelled by a client, EMSL will complete work in progress and invoice for work completed to the point of cancellation notice. EMSL is not responsible for holding times that are exceeded due to such changes.

C. Warranty

EMSL warrants to its clients that all services provided hereunder shall be performed in accordance with established and recognized analytical testing procedures and with reasonable care in accordance with applicable federal, state and local laws. The foregoing express warranty is exclusive and is given in lieu of all other warranties, expressed or implied. EMSL disclaims any other warranties, express or implied, including a warranty of fitness for particular purpose and warranty of merchantability.

D. Limits of Liability

In no event shall EMSL be liable for indirect, special, consequential, or incidental damages, including, but not limited to, damages for loss of profit or goodwill regardless of the negligence (either sole or concurrent) of EMSL and whether EMSL has been informed of the possibility of such damages, arising out of or in connection with EMSL's services thereunder or the delivery, use, reliance upon or interpretation of test results by client or any third party. We accept no legal responsibility for the purposes for which the client uses the test results. EMSL will not be held responsible for the improper selection of sampling devices even if we supply the device to the user. The user of the sampling device has the sole responsibility to select the proper sampler and sampling conditions to insure that a valid sample is taken for analysis. Any resampling performed will be at the sole discretion of EMSL, the cost of which shall be limited to the reasonable value of the original sample delivery group (SDG) samples. In no event shall EMSL be liable to a client or any third party, whether based upon theories

This report has been prepared by EMSL Analytical, Inc. at the request of and for the exclusive use of the client named in this report. Completely read the important terms, conditions, and limitations that apply to this report.

© 2006, EMSL Analytical, Inc., All rights reserved. No part of this report may be reproduced or otherwise distributed or used without the express written consent of EMSL.



EMSL Analytical, Inc.

706 Gralin Street Kenersville, NC 27284
Phone: (336) 992-1025 Fax: (336) 992-4175

Web: <http://www.EMSL.com> Email: kenersvillelab@emsl.com

Attn: Dean Young
The Inspection Co.
806 Green Valley Road
STE 200
Greensboro, NC 27408-7076

EMSL Order: 022304578
Customer ID: HTEK42
Collected: 7/07/2023
Received: 7/07/2023
Analyzed: 7/10/2023

Proj: 1403 Ridgecrest Ave. Burlington NC 27215

of tort, contract or any other legal or equitable theory, in excess of the amount paid to EMSL by client thereunder.

E. Indemnification

Client shall indemnify EMSL and its officers, directors and employees and hold each of them harmless for any liability, expense or cost, including reasonable attorney's fees, incurred by reason of any third party claim in connection with EMSL services, the test result data or its use by client